PART NUMBER

WFI-LIDS-EM

GSA CONTRACT NUMBER

GS-07F-9254S

SHIPPING INFORMATION

Shipping information can be requested by contacting Wel-Fab Inc. ® on our toll free number at 888-275-0881 or by e-mailing our Business Manager at pjelstone@wel-fab.com

PURCHASING INFORMATION

MAILING ADDRESS:

Wel-Fab, Inc.® P.O. Box 86 Lumberton, NJ 08048

PHONE/FAX:

Phone: 888-275-0881 (Toll Free) Fax: 609-267-6751

FAXED QUOTE REQUESTS:

609-267-6751

When faxing us your quote request, please ensure your request is sent on agency letterhead with all customer contact information on it; this will help ensure a timely response to your quote request.

FOR ORDER CONFIRMATION:

For order confirmation information, shipping information, by contacting Wel-Fab Inc. ® on our toll free number at 888-275-0881 or by e-mailing our Business Manager pjelstone@wel-fab.com

TECHNICAL INFORMATION/QUESTIONS:

Contact Paul Elstone, Sr. at pauleIstone@wel-fab.com



LIDS ™ EMERGENCY MANAGEMENT (EM)

Wel-Fab, Inc has developed a new Lightweight Inflatable Decontamination System (LIDS) Emergency Management (EM) for use as a field deployable Contamination Control Area (CCA) supporting EM personnel performing decontamination processing procedures.

LIDS EM was specifically designed and engineered for today's quick response Weapons of Mass Destruction (WMD), Emergency Management (EM) Teams. This system provides complete Contamination Control Area (CCA) decontamination capability for Ambulatory and Non-Ambulatory EM personnel while wearing the Level A, B, and C Hazmat Suits.

The LIDS EM package provides a Tactical Decon System, which meets all of the stand-alone requirements for worldwide deployment. LIDS EM provides a complete stand-alone decontamination capability, which can be rapidly and easily re-supplied by WFI when needed. LIDS EM can be expediently and effortlessly setup on all improved and unapproved surfaces, using minimal EM manpower.

LIDS EM provides a quantum leap forward in decontamination system capability for use during the EM CCA Process. Building on the unmatched quality, modularity, and flexibility of our company's products, we worked closely with numerous EM and CST units to develop this most advanced and easy to use personnel decontamination system available today.

The benefits of owning this ultimate decontamination system translates into unparalleled logistic improvements, reduced unit footprint, shorten technician-training time, reduced setup/breakdown times, and the fastest relocation times during extremely austere and diverse emergency response conditions within all types of EM field operations.

LIDS was independently tested and validated by the USAF Air Warfare Center and approved for use by the Department of Defense, Joint Program Executive Office (JPEO) for CBRNE use. The lightweight and ergonomic design of LIDS was proven during testing to significantly reduce technician thermal burden that is usually associated with the setup and operation of a decontamination systems.



Rapid Deployment and Setup:

5 Fully Enclosed LIDS Shelters provided

Complete system set up by two personnel in under 20 minutes

Each shelter structure inflates within two minutes or less

Protective Shelters Canopies:

Environmental Control Unit (ECU) Heating/Cooling Integration Chute

Clear window panels provide unobstructed view throughout the processing line

Roll up canopy panels signifantly reduce thermal burden

Modular Decon System:

Shelters can be split up for independent multi-location operations

Shelters/Stations can be individually spaced apart as required

Shelters can be connected end-to-end using velcro connection

Multi Surface Setup/Anchoring Capabilities:

Soft Surfaces (Grass/Dirt): Weight Bag Kit, Water Bags, and Spike Stakes

Hard Surfaces (Concrete/Black Top): Weight Bag Kit, Water Bags

Integrated Gross and Technical Decon:

Three completely integerated plumbing systems

Gross Decon: 5 Nozzle shower system provides maximum deluge

Technical Decon: Coiled spray hose, handheld sprayer, and rinsing wand maximizes

decontamination contamination process.

Privacy Comfort Shower and Redress Area:

Pre-Installed shower plumbing

Integrated towel and Tyvek suit storage

Integrated Berm System:

Berms are quickly setup within seconds

Captures all gray water run off

Eliminates run off during decon operations

Emergency Decontamination Area Incorporated:

Supports rapid man-down decon procedures

Overhead spray/deluge capability

Berms are quickly setup within seconds

Capture gray water at all required stations

Coiled shower spray hoses

Harden Shelter Protective Containers (Pelican Cases):

Multiple point locking system

Pressure relief valve

Roller wheels and carrying handles allow for single person handling

Interior and Exterior Lighting:

18 Exterior Lights

10 Interior Lights

Slip Resistant Flooring System:

Elevated platform

Down range entry to liquid control line

EPDS/Rapid Response Kit—Non-Inflating:

1 complete response kit


5'X5' Berm

Industry Leading System Warranty:

Initial 3 year warranty

Maintenance and service contracts provided





LIDS ™ EMERGENCY MANAGEMENT (EM)	QUANTITY	REMARKS
Station 1 Boot Wash Berm (5'X5')	1 ea	
Shelter 1 Station 2/3 Gross/Technical Decon (10'X10')	1 ea	
Shelter 1 Station 2/3 Berm (10'X10')	1 ea	Removable Berm
Station 4 Suite Monitoring Berm/Canopy (5'X5')	1 ea	Removable Berm
Shelter 2 Station 5/6 LHA/VHA (10'X10')	1 ea	
Shelter 2 Station 5/6 Berm LHA/VHA (5'X5')	2 ea	Removable Berms
Shelter 3 Station 7/8 Comfort Shower/Re-Dress Area (5'X5')	1 ea	Removable Berm
Shelter 4 Station 9 Emergency Decon Shower (10'X10')	1 ea	
Shelter 4 Station 9 Berm (10'X10')	1 ea	Removable Berm
Shelter 5 Station 10 Emergency Suite Cut Out Area (10'X10')	1 ea	
Shelter 5 Station 10 Berm (10'X10')	1 ea	Removable Berm





COMPONENTS QUANTITY

LIDS Nesting Boxes 4ea LIDS Shelter Cases 5ea Weight Bags (15lbs) 100ea Stakes, Shelter w/Hammer 60ea Blower/Vacuum, Shelter (110Volt) 2ea Carabiners (3inch) 40ea Carabiners Large (6inch) 20ea Shuffle Tray, Boot Decon 4ea Buckets, Solution/Rinse (5gal) 2ea Buckets, Collapsible (2.5gal) 6ea Brushes, Long Handled (20inch) 5ea Brushes, Short Handled (8inch) 5ea Brushes, Soft Headed (Car Wash Type) 5ea Water Weight Ballast Bags 12ea Extension Cord (50ft) 2ea Extension Cord (100ft) 4ea Extension Cord (25ft) 4ea Ground Fault Interrupter, Shock Buster (4Plug) 2ea Lights, Shelter (Exterior) 18ea Lights, Shelter (Interior) 10ea Pop-Up Trash Cans 3ea **Boot Remover Tool** 1ea Field Expedient Repair Kit, (1Per-Shelter) 5ea Wand, Handheld 2ea Electrical Outlets (6Plugs) 8ea Coiled Hoses, (15ft) 3ea EM Hose Kit (13Hoses) 1Kit Spray Nozzles 3ea Quick Disconnects. 5sets Floor System, Slip Resistant 8ea Sump Pump System, 4ea Drum, Over Pack (30gal) 2ea Generator, 3K Ultra Low Noise 1ea Cone/Walker, Stability System 1ea Table, Plastic Adjustable 2ea Stool, Backless 1ea Bladder, Gray Water 3ea Hazmat Bags, (36inch) 1bx Roller System, Emergency Decon/Body Boards 2ea Step Ladder 1ea EPDS/Rapid Second Site Kit 1set Proportioner, Decon Solution 1ea Water Heater, Propane (Portable) 1ea Manifold, Six Hose 1ea Flow Regulator 1ea Fire Hose, To Hydrant Connection 1ea Ratchet Strap (34FT) 1ea C-135 NC Container 1ea Instruction Package 1ea